Prevent and reduce transmission among employees 1,2

Item	Completed	Ongoing	Not Started	N/A
Monitor federal, state, and local public health communications about COVID-19.				
• Ensure workers have access to current information.				
 Check local public health information and the CDC, CDPH, and Yolo County COVID-19 websites daily, or as needed depending on local conditions. 				
Reinforce how employees can protect themselves and others from COVID-19 by communicating the following:				
 If you have symptoms: notify your supervisor stay home get tested and test anyone with close contact 				
 If you are sick, follow CAL/OSHA and CDC-recommended steps, and do not return to work until:³ At least 10 days have passed since symptom onset and At least 24 hours have passed since resolution of fever without the use of fever-reducing medications and Other symptoms have improved 				
 If you are well but have someone in your household who has COVID-19 notify your supervisor get tested and test cohabitants follow CDC, CDPH, and CAL/OSHA recommended precautions				
 When outside the home, follow the current CAL/OSHA, CDPH and Yolo County Health Department face covering guidance.⁴ 				
• Wash hands often with soap and water for at least 20 seconds or use hand sanitizer with at least 60% alcohol if soap and water are not available.				
Avoid touching eyes, nose, and mouth.				

Prevent and reduce transmission among employees ^{1,2}

Item	Completed	Ongoing	Not Started	N/A
• Cover mouth and nose with a tissue or inside of the elbow when coughing or sneezing, immediately throw tissue in trash, then wash hands.				
 Clean and disinfect frequently touched objects and surfaces at the beginning and end of each shift. 				
 Avoid using other employees' phones, desks, offices, or other work tools and equipment. Clean and disinfect between employees if sharing occurs. 				
 Avoid large gatherings and stay at least 6 feet from others when possible. 				
• Get tested for COVID-19 once or twice a week (Recommendation differs from CDC guidance for early detection of COVID-19 and COVID-19 variants)				
 Provide time off for COVID-19 vaccination appointments and recovery time if needed. 				
Plan for conducting daily in-person or virtual health checks (e.g., symptom and/or temperature screening) before employees enter the facility:				
• Use social distancing (about 6 feet distance), barriers or partitions, and/or personal protective equipment (PPE) to protect screeners.				
• If taking temperatures, use touchless thermometers.				
• Consider designating doorways as "entry only" or "exit only."				
Conduct a hazard assessment of the workplace.				
Identify potential hazards that might expose workers to COVID-19. ⁵				
Low Exposure				
 Remote Workers Office workers who do not have frequent close contact with coworkers, customers, or to the public 				

Prevent and reduce transmission among employees 1,2

Item	Completed	Ongoing	Not Started	N/A
Medium Exposure				
 Employees who have frequent or sustained contact with coworkers, including under close working conditions outdoors or in well ventilated spaces in various types of industrial, manufacturing, agriculture, construction, and other critical infrastructure workplaces. Employees who have frequent outdoor or well-ventilated contact with the public, including workers in retail stores, grocery stores or supermarkets, pharmacies, transit and transportation operations, law enforcement and emergency response operations, restaurants, and bars. 				
High Exposure				
 Employees who have frequent or sustained contact with coworkers, including under close working conditions indoors or in poorly ventilated spaces in various types of industrial, manufacturing, agriculture, construction, and other critical infrastructure workplaces. Employees who have frequent indoor or poorly ventilated contact with the public, including workers in retail stores, grocery stores or supermarkets, pharmacies, transit and transportation operations, law enforcement and emergency response operations, restaurants, and bars. 				
Very High Exposure				
 Healthcare workers (e.g., doctors, nurses, dentists, paramedics, emergency medical technicians) performing aerosol-generating procedures on known or suspected COVID-19 patients. Healthcare or laboratory personnel collecting or handling specimens from known or suspected COVID-19 patients 				
Plan for what to do if an employee is sick at work.				
• Immediately separate employees who appear to have symptoms from others in the workplace.				

Prevent and reduce transmission among employees 1,2

	Item	Completed	Ongoing	Not Started	N/A
•	Have a procedure for safe transport of a sick employee to home or a healthcare facility.				
•	Consider keeping a stock of BinaxNow or Ellume home COVID-19 test kits on hand to test symptomatic employees in real-time.				
If it ha	p an action plan for suspected/confirmed cases. s been fewer than 7 days since the sick employee has the facility:				
•	Close off areas that have been used by the sick person for extended periods of time (e.g., their desk or workstation).				
•	Wait 24 hours (or as long as possible), then clean and disinfect the area.				
•	Open outside doors and windows to increase air circulation during the waiting period.				
the faci	s been 7 days or more since the sick employee used lity, additional cleaning and disinfection beyond efforts is not necessary:				
•	Determine which employees may have been exposed to the virus and may need to take additional precautions:				
•	Inform employees of their possible exposure to COVID-19 in the workplace but maintain confidentiality.				
•	Most workplaces can follow the Public Health Recommendations for Community-Related Exposure (go.usa.gov/xvHz3)				

Maintain healthy business operations

Item	Completed	Ongoing	Not Started	N/A
Protect higher risk employees.				
Support and encourage telework, if available.				

Maintain healthy business operations

Item	Completed	Ongoing	Not Started	N/A
 Consider offering vulnerable workers duties that minimize their contact with customers and other employees (e.g., restocking shelves). 				
• Encourage receiving the COVID-19 Vaccination				
Communicate supportive workplace policies. You may need to communicate with non-English speakers in their preferred languages.				
 Train workers on how new policies to reduce the spread of COVID-19 may affect existing health and safety practices. 				
 Communicate to contractors or on-site visitors about changes to help control the spread of COVID-19. 				
 Create and test communication systems that employees can use to self-report if they are sick that you can also use to notify employees of exposures and closures. 	l 🗆			
Assess essential functions and the reliance that others have on your services or products.				
 When resuming onsite business operations, prioritize job functions for continuous operations. Resume business operations in phases. 				
Establish social distancing policies and practices.				
 Implement flexible worksites, work hours, and meeting and travel options. 				
 Modify the workplace to increase physical space between employees, and between employees and customers, to 6 feet or more, where feasible. 				
 Use signs, tape marks, or other visual cues to indicate where to stand when physical barriers are not possible. 				
 Have employees and customers follow the current CAL/OSHA, CDPH and Yolo County Health Department face covering guidance. 				

Maintain healthy business operations

Item	Completed	Ongoing	Not Started	N/A
Discourage handshaking or other close contact.				
 Move the electronic payment terminal/credit card reader farther away from the cashier, if possible. 				
 Shift primary stocking activities to off-peak or after hours, when possible. 				
Delegate authority to local managers of your business locations to take appropriate actions outlined in their COVID-19 response plans based on their local conditions.				

Maintain a healthy work environment

Tam.	Commisted	Omasina	Not Started	NT/A
Item	Completed	Ongoing	Not Started	N/A
Modify ventilation systems	Ш		Ш	
 Work with building maintenance staff to determine if the ventilation system can be modified to increase ventilation rates or the percentage of outdoor air that circulates into the system. 				
 Ensure ventilation systems operate properly and provide acceptable indoor air quality. 				
• Disable demand-controlled ventilation (DCV).				
• Further open minimum outdoor air dampers (as high as 100%) to reduce or eliminate recirculation.				
 Consider adding portable HEPA filters throughout the business to increase filtration and air flow. Air Cleaners Sizing Calculator (https://www.air-quality-eng.com/buyer-resources/air-cleaners-sizing/) 				
Supply employees, customers, and visitors with what they need to clean hands and cover coughs and sneezes.				
 Provide tissues, no-touch trash cans, and touchless hand sanitizer stations. 				
 Provide soap and water. If soap and water are not readily available, provide alcohol-based hand sanitizer that is at least 60% alcohol. 				

Maintain a healthy work environment

Item	Completed	Ongoing	Not Started	N/A
 Direct employees to visit CDC's coughing and sneezing etiquette (go.usa.gov/xv6qN) and clean hands webpage (go.usa.gov/xv6qJ). 				
 Place posters that encourage cough/sneeze etiquette and hand hygiene at the entrance to and throughout your workplace (e.g., bathrooms and kitchens). Include signs for non-English speakers, as needed. 				
Perform routine cleaning and disinfecting.				
 Follow CDC's Guidance for Cleaning and Disinfecting to develop, implement, and maintain a plan.⁶ 				
 Clean all frequently touched surfaces at the beginning and end of each shift, at minimum. 				
 Clean dirty surfaces using a detergent or soap and water before you disinfect them. 				
 Disinfect using EPA-registered disinfectant that is effective against SARS-CoV-2.⁷ 				
 Provide disposable disinfecting wipes so employees can wipe down commonly used surfaces before each use. 				
 Store and use disinfectants in a responsible and appropriate manner according to the label. 				
 Do not mix cleaning and disinfection products together. 				
 Advise employees to always wear gloves and other PPE appropriate for the chemicals being used. 				
Limit travel and advise employees who must travel to take additional precautions and preparations.	e			
Minimize non-essential travel.				
Plan meetings and gatherings to lower risk.				
Use videoconferencing or teleconferencing, when possible.				

Maintain a healthy work environment

Item	Completed	Ongoing	Not Started	N/A
 Cancel, adjust, or postpone large work-related meetings or gatherings. 				
When videoconferencing or teleconferencing is not possible: • Hold meetings in open, well-ventilated spaces.				
 Follow the current CAL/OSHA, CDPH and Yolo County Health Department face covering guidance. 				

References:

- 1. Centers for Disease Control and Prevention. 2021. Community, Work, and School. [online] Available at: https://www.cdc.gov/coronavirus/2019-ncov/community/resuming-business-toolkit.html [Accessed 26 April 2021].
- 2. Occupational Safety and Health Administration. 2021. COVID-19 Frequently Asked Questions. [online] Available at: https://www.osha.gov/coronavirus/faqs [Accessed 26 April 2021].
- 3. Centers for Disease Control and Prevention. 2021. Healthcare Workers. [online] Available at: https://www.cdc.gov/coronavirus/2019-ncov/hcp/disposition-in-home-patients.html [Accessed 26 April 2021].
- 4. Centers for Disease Control and Prevention. 2021. COVID-19 and Your Health. [online] Available at: https://www.cdc.gov%2Fcoronavirus%2F2019-ncov%2Fprevent-getting-sick%2Fcloth-face-cover.html [Accessed 26 April 2021].
- 5. Occupational Safety and Health Administration. 2021. Hazard Recognition. [online] Available at: https://www.osha.gov/coronavirus/hazards [Accessed 26 April 2021].
- 6. Centers for Disease Control and Prevention. 2021. Community, Work, and School. [online] Available at: https://www.cdc.gov/coronavirus/2019-ncov/community/disinfecting-building-facility.html#anchor_1617548426741 [Accessed 26 April 2021].
- 7. Environmental Protection Agency. 2021. CLEANING AND DISINFECTING Best Practices During the COVID-19 Pandemic. [online] Available at: https://www.epa.gov/sites/production/files/2021-04/documents/cleaning-disinfecting-one-pager.pdf [Accessed 26 April 2021].